

CAMELLIAS FROM THE GREATER WILIMINGTON NORTH CAROLINA AREA

- 1. Adrienne's Betty.** (*C.japonica*), *American Camellia Yearbook*, 1982, p.169, Reg. No.1835: A medium to large white, veined and shaded light pink, with petals edged a little deeper pink, peony form *C.japonica*. Mutant of 'Betty Sheffield Silver'; blooms mid-season. Originated by Mrs. A.B. Rhodes, Wilmington, North Carolina, USA. Flower and leaf size and characteristics same as parent plant.
- 2. Agnes O. Solomon.** (*C.sasanqua*), Orton Plantation Nursery price list in error as 'Agnes O. Sullivan', 1953-1954; Overlook Nursery Catalogue, 1956-1957: A recent introduction. Loose semi-double to peony form with wavy petals. Beautiful soft pink colour. According to Dr Hume, 1955, it was originated by Orton and named for Mrs. J.W. Solomon, Wilmington, North Carolina, USA. Agnes O. Sullivan. Orton price list, 1953-1954. Orthographic error for **Agnes O. Solomon.**
- 3. Alma Halecki.** (*C.japonica*), *American Camellia Yearbook*, 1977, p.207, Reg. No.1424: A large size, white, anemone form *C.japonica*. A 10 year old chance seedling that first bloomed 1972. Originated by Joseph R. Halecki, Wilmington, North Carolina, USA. The bloom has 20 petals, 30 petaloids, yellow centre and white filaments. Average size is 11 cm across x 5 cm deep. An abundance of blooms, mid-season to late flowering. Cold hardy. Plant growth is compact, upright and rapid with dark green leaves, 10.2 cm x 5 cm.
- 4. Amy V. Thomas.** (*C. japonica*), ACS., 1989, *The Camellia Journal*, vol.44, No.3, p.9, Reg. No.2164: A small size, red, formal double, *C. japonica* chance seedling. Blooms mid-season. Originated by Lindsey A. Odom, Wilmington, USA. The 20 year old seedling first bloomed 1974. Average flower size, 7 cm across x 3.8 cm deep. Plant growth is upright and rapid in rate with dark green leaves 7 cm long x 2 cm wide.
- 5. Anna Zucchini (Rubel).** (*C.japonica*), Rubel, 1933, *Choice Pot Grown Camellias, List*, No.63, erroneously as 'Anna Zucchini': White with an occasional pink sport. Medium size semi-double. Medium, compact growth. Mid-season blooming. Not the variety listed in the old literature which is a formal double red, pink or white. Originated by the Orton Nursery, Winnabow, North Carolina, USA. Orthographic variants: 'Anna Zuchani', 'Anna Zuchine', 'Anna Zuchini'.
- 6. Annie Gray.** (*C japonica*), Orton Nursery Price List, 1947-1948: Cherry red. Medium large, semi-double with upright petals. Upright growth. Blooms mid-season. Originated in USA by the Orton Nursery.
- 7. Barbara Beeland Rehder.** (*C .japonica*), Light Blush Pink. Miniature, formal double. Average, upright growth. M-L (U. S. 1996 – H. Rehder, Wilmington, NC)
- 8. Brooks.** (*C.japonica*)White and deep Pink. Large formal double. (U. S. 1949 – Orton)
- 9. Calico.** (*C.japonica*), Orton Nursery Price List, 1947-1948, No description. SCCS, 1950, *The Camellia. Its Culture and Nomenclature*: White, striped dark pink. Medium large, formal double. Compact, upright growth. Late blooming. The name has erroneously been used as a synonym for the Japanese cultivar **Sarasa**. Originated by Orton Plantation Nursery, Winnabow, North Carolina, USA.

10. **Captain Ike Davis.** (*C japonica*), Orton Nursery Price List, 1947-1948 as 'Capt. Ike Davis': Rose-red. Medium sized, loose peony form with large, ruffled petals. Vigorous, upright growth. Midseason blooming. See, p.57, Hertrich, 1955, *Camellias in the Huntington Gardens*, vol.II. Originated by Orton Nurseries, USA.
11. **Caro-Lan** (*C.japonica*), Dark Pink with lighter pink in center. Medium formal double. Incurved petals star-shaped and stacked with heavy texture. Open, average growth rate, M-L. (U. S. 2006 – Harold Haeffele, Hampstead, NC)
12. **Carl M. Allen, Jr.** (*C.japonica*), Rose red, blotched White. Medium, anemone to peony form. Average, spreading growth. E-M. (U. S. 1999 – Henry B Rehder, Wilmington, NC).
13. **Caroline Rehder.** (*C.japonica*), *American Camellia Yearbook*, 1975, p.236, Reg. No.1370: An 8 year old chance *C.japonica* seedling that first bloomed 1970; originated by Henry B. Rehder, North Carolina, USA. The plant growth is upright, of average density and slow in rate with light green leaves. The formal double, **Alba Plena** type, bloom is white, lightly striped pink, 5 cm across and 3 cm deep. Flowers are long lasting with a hard bud centre. Late flowering
14. **Doctor Donald Koonce.** (*C.japonica*), *American Camellia Yearbook*, 1961, p.221, Reg. No.577: A 10 year old chance seedling, first bloomed 1957, originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is dense, medium in rate with dark green leaves, 7.5 cm x 4 cm. The anemone form flower, 11 cm wide by 5 cm deep, is dark red with yellow stamens and 40 petals. The stamens are interspersed with petals. Blooms mid-season. Abbreviation: 'Dr Donald Koonce'.
15. **Dr David Sloan.** (*C.japonica*), *American Camellia Yearbook*, 1971, p.97, Reg. No.1752: A medium sized, pure white, formal double, *C.japonica* chance seedling, mid-season blooming; originated by S.L. Marbury, Wilmington, North Carolina, USA. The 15 year old seedling first bloomed 1970. Average flower size is 8 cm across x 5 cm deep with 80 petals. Plant growth is dense and rapid with dark green leaves 8 cm x 5 cm. wide.
16. **Dr Huffman.** (*C.japonica*), *American Camellia Yearbook*, 1966, p.87, Reg. No.835: A 12 year old chance seedling that first flowered 1958; originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is dense and rapid with light green leaves, 7.5 cm long x 4 cm wide. The pink with yellow stamens, flower is 11 cm across x 5 cm deep and 25 petals and a mass of petaloids. Flower form variable, anemone to semi-double with yellow stamens in the centre. Flowers mid-season.
17. **Dr Zhivago.** (*C.hybrid*), *American Camellia Yearbook*, 1980, p.163, Reg. No.1620: A large, orchid pink with pink overtones, loose peony form *C.hybrid* chance seedling of **William's Lavender**; midseason blooming to late; originated by Thomas Sellers, Bolivia, North Carolina, USA that first bloomed 1965. Average flower size 10 cm across x 6 cm deep with 36 petals, yellow anthers and cream filaments. Plant growth is upright, open and medium in rate with light green leaves, 6 cm long x 4 cm wide.
18. **Ed Powers** (*C. japonica*), Deep Rose and White variegated. Large rose form double. Open, average growth. E-L. (U.S. 2006- Ed Powers, Wilmington, NC)

- 19. Edmund Harding.** (*C. japonica*), *American Camellia Yearbook*, 1971, p.46, Reg. No.1160: A 10 year old chance japonica seedling that first flowered 1959; originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is upright, open and medium in rate with light green leaves, 8.5 cm long x 5 cm wide. The semi-double, **Frizzle White** type, bloom is 11-12.5 cm wide x 5 cm deep. Colour is medium pink with yellow anthers. It has 18-20 petals and blooms mid-season. There is also a variegated form.
- 20. Elovine Carpender.** (*C. japonica*), *American Camellia Yearbook*, 1974, vol.2, p.232, Reg. No.1316: A 22 year old chance seedling that first bloomed 1958; originated by Catharine C. Carpender, Wilmington, North Carolina, USA. The anemone form, **Elegans** type, bloom is deep pink, average size, 8.5 cm across with 12 petals and about 18 petaloids and yellow anthers. Colour changes in cold weather to shaded blue edges. Blooms early to late season.
- 21. Ernest E. Beale, Sr.** (*C. japonica*), Deep Coral Pink. White to light, very fine edge on or around the Pink petals. Medium to large, semidouble form. Average spreading growth. E-M. (U.S. 2003 _Melissa Beale and John B. Tally, Wilmington, NC)
- 22. Farris Red.** (*C. japonica*), Orton price list, 1947-1948. No description. SCCS, 1954, *The Camellia. Its Culture and Nomenclature*, p.45: Deep red. Medium sized, formal double. Mid-season to late blooming. Originated in USA by Orton.
- 23. Florence Stratton Blush.** (*C.japonica*), *American Camellia Yearbook*, 1981, p.98, Reg. No.1767: A medium to large blush pink, with some petals solid pink, formal to rose-form double *C.japonica* mutant of **Florence Stratton**, late flowering. Plant and flowers have the same characteristics as the parent. Originated by J.K. Blanchard, North Carolina, USA.
- 24. Frances Penton.** (*C.japonica*), *American Camellia Yearbook*, 1971, p.46, A 12 year old chance seedling that first bloomed 1947; originated by S. Marbury, Wilmington, North Carolina, USA. Plant growth is spreading and open with dark green leaves, 8.5 cm x 4 cm. The semi-double 'Herme', (**Hikarugenji**) type bloom is soft pink with yellow filaments. It measures 8.5 cm across x 4 cm deep with 15-20 petals. The outer petals are large, the inner erect, giving a trumpet effect. Blooms early to mid-season.
- 25. George B Barrett.** (*C. japonica*), *American Camellia Yearbook*, 1949, p.251, black and white photo, Reg. No.4; plant patent No.866: Large white, incomplete double, 13 cm across x 6 cm deep with fluted, outer, guard petals, golden stamens intermingled with petals and petaloids. Leaves mid-green, thin, acuminate, 8 cm x 5 cm. Habit bushy, upright, medium growth. Originated by Mrs. E.W. Hagler, Augusta, Georgia, USA. Patent applied for in 1947 and assigned to the Orton Plantation. Abbreviation: 'Geo. Barrett'.
- 26. Irving Corbett.** (*C.japonica*), *American Camellia Yearbook*, 1965, p.237, Reg. No.770: A 9 year old chance seedling that first bloomed 1960, originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is upright and open, medium in rate with dark green leaves averaging 7.5 cm x 5 cm. The semi-double flowers, similar to 'Herme' (**Hikarugenji**), measure 10.5 cm wide x 6 cm deep and have 30 petals and 2 petaloids. Petals stand up and twist and curl like 'Ville de Nantes'. Colour is light pink with yellow stamens. Blooms mid-season.
- 27. Izma.** (*C.sasanqua*), *American Camellia Yearbook*, 1960, p.198: A 7 year old chance seedling, originated by Robbin's Nursery, Willard, North Carolina, USA, that first flowered

1956. The dark green leaves average 6 cm x 1.8 cm. The white, with pink on the reverse side, flowers, 9-10 cm across x 2 cm deep have 50 notched and ruffled petals with yellow stamens. Early flowering.

28. Kathryn Marbury. (*C.japonica*), Mark S. Cannon Scion Catalogue, 1964-1965, p.9. No description. *American Camellia Yearbook*, 1965, p.238, Reg. No.771: A 9 year old chance seedling that first bloomed 1960. Originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is upright and average with dark green leaves averaging 7.5 cm x 5 cm. The formal double flowers, similar to **Alba Plena**, are 8 cm across x 3.8 deep with 55 petals. Blooms are blush pink with a good sheen. Blooms mid-season to late.

29. Kathryn Snow. (*C.japonica*), *American Camellia Yearbook*, 1966, pp.92, 93, Reg. No.889: A 7 year old chance seedling that first flowered 1958. Originated by S.L. Marbury, Wilmington, North Carolina, USA. Leaves light green, average 7.5 cm x 3.8 cm. The semi-double flowers are off-white with pink edges. The stamens are yellow. Size is 10-11 cm across x 5 cm deep with 25 petals. Centre petals tend to "rabbit ear". Blooms mid-season to late.

30. Kay Acker. (*C.japonica*), *American Camellia Yearbook*, 1970, p.165, Reg. No.1111: A 13 year old chance seedling that first bloomed 1960. Originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is spreading and medium with dark green leaves, 10 cm long x 5 cm wide. The formal double flower is 8 cm across x 3.8 cm deep with up to 100 petals. The colour is soft, blush pink. Centre petals are long and pointed, forming a star. Blooms mid-season to late.

31. Ken Blanchard

32. Lady Vansittart Blush. (*C.japonica*), *American Camellia Yearbook*, 1959, p.276, Reg. No.423: A sport of **Lady Vansittart**, originated by Henry B. Rehder, Wilmington, North Carolina, USA. The semi-double, pale blush flowers have 16 petals, 3 petaloids and yellow stamens and are 9.5 cm across x 3.2 cm deep. Blooms mid-season. Plant characteristics are the same as the parent. Synonym: 'Lady Vansittart Pale'.

33. Look-Away. (*C.japonica*), NCCS., Oct.1948, *Bulletin*, vol.2, No.1, p.14: Sport of 'Herme' (**Hikarugenji**). Same formation as parent. Propagated by the Orton Plantation Nursery, Winnabow, North Carolina, USA from a sport established by H.G. Mealing, North Augusta, South Carolina about 1938. It is deep, rose-pink with a wide, white border. Sport: **White Surprise**. Orthographic variants: 'Look Away', 'Lookaway'. For black and white photos see p.128, *American Camellia Yearbook*, 1950 and p.217, Hertrich, 1954, *Camellias in the Huntington Gardens*, vol.I. Colour photo, pl.102, p.55, *Encyclopedia of Camellias in Colour*, vol.II, 1978. Chinese synonym 'Xuisse'.

34. Lou Powers. (*C.japonica*) Pink variegated with yellow anthers and white filaments. Large semidouble. M-L (U.S. 2006 – Ed Powers, Wilmington, NC)

35. Marguerite Bullard. (*C.sasanqua*), *American Camellia Yearbook*, 1958, p.289, Reg. No.316: A 9 year old seedling of Mine-no-yuki; originated by Mrs. M. Eugene Bullard, Wilmington, North Carolina, USA. Plant growth is rapid and spreading. The pink, peony form flowers resemble 'Mine-no-yuki' in form and have 30 petals and 8 petaloids. Size, 8 cm across x 3.8 cm deep and retains a rose-bud centre for some time. Blooms early.

- 36. Marquis de Lafayette.** (*C.japonica*), *American Camellia Yearbook*, 1983, p.163, Reg. No.1860: A large, rose red, semi-double *C.japonica* chance seedling, early blooming; originated by J.K. Blanchard, Wallace, North Carolina, USA. The 12 year old seedling first bloomed 1977. Average flower size, 11 cm across x 6 cm deep with 19 petals and 183 petaloids, yellow anthers and white filaments. Plant growth is upright, open and medium, with dark green leaves, 9.5 cm. x 5 cm.
- 37. Mary Ludington.** (*C.japonica*), *American Camellia Yearbook*, 1960, p.203, Reg. No.510: An 8 year old chance *C.japonica* seedling that first flowered 1957. Originated by S.L. Marbury, Wilmington, North Carolina, USA. Growth habit, upright and medium with dark green leaves, 7 cm x 3.8 cm. Flowers semi-double, similar to **Finlandia**, pink and white variegated, also solid pink, 7.5 cm across x 3.7 cm deep with 30-35 petals with a few petaloids and yellow stamens. Flowers mid-season. Sport: **Mary Ludington Pink**.
- 38. Mary Ludington Pink.** (*C.japonica*), SCCS., 1962, *Camellia Nomenclature*, p.70: Solid pink sport of **Mary Ludington**. Originated in USA.
- 39. Minerva II.** (*C. japonica*), Vanderbilt, 1940, *Camellia Research*, p.6. No description. SCCS, 1950, *The Camellia. Its Culture and Nomenclature*, p.50 as 'Minerva II: Pink. Large, formal double. Originated in USA by Orton.
- 40. Miss Penderlea.** (*C.sasanqua*), Tammia Nursery Catalogue, 1960, p.5. No description. *American Camellia Yearbook*, 1960, p.203, Reg. No.471: A chance seedling that first bloomed 1950, propagated by Robbins Nursery, Willard, North Carolina, USA - Originator unknown. Plant growth is upright, dense and rapid with dark green leaves, 7 cm x 2.9 cm. The 8 petaled flower is white with coral pink margins and yellow stamens, 7.5 cm across x 2.5 cm deep. Early flowering.
- 41. Mister George.** (*C.japonica*), *American Camellia Yearbook*, 1974, p.173, Reg. No.1267: A 10 year old japonica seedling; originated by Mrs. Walter McEachern, Wilmington, North Carolina, USA. Plant growth is upright, spreading, dense and rapid in rate with mid-green leaves, 7.5 cm x 1.5 cm. wide. The semi-double, **Frizzle White** type, bloom is rose-pink. It measures 12.5 cm across x 10 cm deep with 35 petals and 50 petaloids, white filaments and yellow anthers. Blooms early to late.
- 42. Mollie O. Odom.** (*C.japonica*), ACS., Nov.1990, *The Camellia Journal*, vol.46, p.18, Reg. No.2198: Medium size, red, peony form, *C.japonica* chance seedling of **Jarvis Red**. Blooms mid-season. Originated in USA by Lindsay A. Odom, Wilmington, North Carolina. *American Camellia Yearbook*, 1990, p.89, colour photo between p.90-91. The 20 year old seedling first bloomed 1975. Average flower size 8 cm across x 5.7 cm deep. Plant growth is average and slow, with dark green leaves, 8 cm long x 5 cm wide.
- 43. Mother's Red.** (*C. japonica*), Orton Nursery Price List, 1947-1948. No description. SCCS., 1950, *The Camellia. Its Culture and Nomenclature*, p.51: Light red. Medium large, semi-double. Vigorous, compact growth. Originated in USA by the Orton Nursery.
- 44. Mrs. Mark Clark.** (*C. japonica*), *American Camellia Yearbook*, 1960, p.204, Reg. No.509: A 7 year old chance japonica seedling which first bloomed 1958. Originated by S.L. Marbury, Wilmington, South Carolina, USA. Growth habit, dense and rapid with mid-green leaves, 8 cm x 4.8 cm. Flowers, loose semi-double as in **Finlandia**, with an occasional formal

double, 10 cm across x 5cm deep; 35 soft pink petals with a few petaloids and yellow stamens. Flowers mid-season.

45. Mund's Camellia. (*C.japonica*), Rehder, 1955, *American Camellia Yearbook*, p.240: An ancient Camellia in the Oakdale Cemetery, Wilmington, North Carolina, USA. Double, light pink, medium sized flower which blooms in mid-season and is not unlike **Brooklynia** but is lighter in colour. Planted about 1860.

46. Murray Pink. (*C .japonica*), Orton Nursery Price List, 1947-1948. No description. SCCS., 1950. *The Camellia. Its Culture and Nomenclature*: Salmon pink. Small, formal double. Originated in USA by the Orton Nursery.

47. Myra Wadsworth. (*C.japonica*), Laurel Lakes Nursery Catalogue, 1958; *American Camellia Yearbook*, 1959, p.278, Reg. No.372: A 10 year old chance seedling; originated by S.L. Marbury, Wilmington, North Carolina, USA that first flowered 1955. Plant growth is upright, open and rapid. The dark green leaves are 12.5 cm x 5 cm. The semi-double flowers, off-white with pink stripes and yellow stamens, have 17 petals and are 11-12.5 cm across x 5 cm deep. Early to mid-season flowering. Orthographic error: 'Myra Woodsworth'.

48. Nathan Humphrey. (*C.japonica*), *American Camellia Yearbook*, 1975, p.240, Reg. No.1348: A 10 year old chance japonica seedling that first bloomed 1964; originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is average with dark green leaves measuring 7.5 cm long x 3.7 cm wide. The rose form double bloom is dark red and white. Size is 10.5 cm across x 4.5 cm deep with 35 petals. The centre does not form a firm bud, but tends to twist and curl with no stamens. Mid-season blooming. Synonym: 'Nathan Humphrey Variegated'.

49. Nathan Humphrey Variegated. Gentry, 1980, ACS., *The Camellia Journal*, vol.35, No.4 as 'Nathan Humphrey Var'. Synonym for **Nathan Humphrey**.

50. Nora. (*C.sasanqua*), *American Camellia Yearbook*, 1959, p.278, Reg. No.366: A 5 year old chance seedling *C.sasanqua*; originated by Henry B. Rehder, Wilmington, North Carolina, USA, which first bloomed 1956. Plant growth is rapid, upright and open with dark green leaves, 6 cm long x 2.5 cm wide. The rose-pink flowers, with pink tipped, yellow stamens, average 6 cm across x 2.5 cm deep, semi-double. The flowers open with a tight bud and then become fully blown. Early flowering.

51. Orton Centerbell. (*C. japonica*). Orton Price List, 1947-1948. No description. Originated in USA.

52. Orton Number 75. (*C. japonica*), Orton Price List, 1953-1954 as 'Orton No.75'. No description. Originated in USA

53. Orton Pink – Orton Price List, 1947-1948. Synonym for **Brooklynia**.

54. Orton's Pride – Fendig, 1953, *American Camellia Catalogue*. Synonym for **Dixie**.

55. Palm Sunday. (*C.x williamsii*), *American Camellia Yearbook*, 1969, p.165. Reg. No.1020: A 5 year old hybrid. chance seedling of **Donation** that first bloomed on Palm Sunday. 1965; originated by Wilbur B. Brown, Wilmington, North Carolina. USA. Plant growth is upright and average with dark green leaves, 7.5 cm x 3.8 cm. The peony form flower is

12.5 cm across x 8-9 cm deep with 18-20 petals and 8-10 petaloids. Orchid pink with yellow stamens and orchid filaments. Blooms mid-season.

56. Pierette White. (*C. japonica*), Orton Nursery Price List, 1953-1954: A white form of **Pierette**, originated at the Orton Nursery, USA.

57. Pink Superlative. (*C. japonica*) *American Camellia Yearbook*, 1961, p.229, Reg. No.543: A 6 year old chance seedling that first bloomed 1960; originated by T.L. Sellars, Bolivia, North Carolina, USA. Plant growth is rapid, upright and spreading with dark green leaves, 11 cm x 6 cm. The wildwood pink, formal double flowers are 12 cm across x 3.8 cm deep with 60-65 petals. Flowers early to mid-season.

58. Pop Allen. (*C. japonica*), Dark pink with darker Pink flashes, petals occasionally cupped. Medium formal double. Vigorous, upright growth. M. (U.S. 2001 Kaity and Carl Allen, Mt Pleasant, SC)

59. Sarah Bellamy. (*C. japonica*), *American Camellia Yearbook*, 1965, p.246, Reg. No.772: An 8 year old seedling that first flowered 1962. Originated by S.L. Marbury, Wilmington, North Carolina, USA. Plant growth is upright and rapid with dark green leaves, 7.5 cm long x 4.5 cm wide. The semi-double flower, similar to 'Herme' (**Hikarugenji**) is light pink with yellow stamens. Blooms are 10 cm across x 6 cm deep with 20 petals. Blooms mid-season. Sport: **Sarah Bellamy Variegated**. Orthographic error: 'Sara Bellemy'.

60. Sarah Bellamy Variegated. (*C. japonica*), *American Camellia Yearbook*, 1965, p.246: A virus variegated form of **Sarah Bellamy** - Light pink blotched white. Originated by S.L. Marbury, Wilmington, North Carolina, USA.

61. Sudie Blanchard. (*C. japonica*), SCCS., 1990. *Camellia Nomenclature*, p.103: Chalk white, large size, semi-double. Medium, compact growth. Blooms mid-season. Originated in USA by J.K. Blanchard, Wallace, North Carolina. ACS., Nov.1989, *The Camellia Journal*, vol.44, No.4, p.17, Reg. No.2179. *American Camellia Yearbook*, 1989, p.128: The 10 year old seedling first bloomed 1983. Average flower size is 12 cm across x 7.5 cm deep with 16 petals and white anthers. Remarkably cold hardy. Plant growth is dense and medium with dark green leaves, 12 cm long x 5.5 cm wide.

62. Tabitha. (*C. japonica*) *American Camellia Yearbook*, 1965, p.248, Reg. No.746: 12 year old chance seedling that first bloomed 1959; originated by Mrs. Tabitha M. McEachern, Wilmington, North Carolina, USA. Plant growth is upright and spreading with dark green leaves, 10 cm x 5 cm, some fish-tailed and some round. The semi-double flower is 12.5 cm. across x 8 cm deep with 7 large petals, light pink with yellow anthers and white filaments, and each flower is flushed rose on a petal. It sports to white flowers with deep rose streaks; solid fuchsia and fuchsia with one white petal. Late blooming.

63. The Dove. (*C. japonica*) Lindo Nursery Price List, 1940-1941: White, small, loose, semi-double, showing stamens. Originated in USA by Orton.

64. Tinsley Smith. (*C. japonica*) *American Camellia Yearbook*, 1954, p.334, Reg. No.128: A 5 year old seedling of **Lady Vansittart**; originated by Miss Ruth Loman, Wilmington, North Carolina, USA that first flowered 1952. Plant growth is open, spreading and well branched. Leaves dark green, 11 cm long, sharply serrate at apex end, apex acute, recurved. Flowers semi-double, numerous stamens forming five groups; 18 large petals, colour cherry-red to

dark rose-red, petals veined a darker colour. Blooms mid-season. Sport: **Tinsley Smith Variegated**.

65. Tinsley Smith Variegated. (*C.japonica*) SCCS., 1960, *Camellia Nomenclature*, p.108 as 'Tinsley Smith Var.': A virus variegated form of **Tinsley Smith** - Cherry-red blotched white. Originated in USA.

66. Tomorrow, Marbury's Light Pink. (*C.japonica*) *American Camellia Yearbook*, 1977, p.219, Reg. No. 1421: A very large, light pink with an outer edge of each petal a lighter pink. A semi-double sport of **Tomorrow** first observed 1960. Originated by S.L. Marbury, Wilmington, North Carolina, USA. It differs from **Leanne's Tomorrow** in that each petal is lighter, almost silvery. Blooms early to mid-season.

67. Wendi Brown King. (*C. japonica*), Pale Blush Pink. Medium to large, peony form. Slow, dense, upright growth. E-M. (U.S. 1997 – Wilmington Nursery, NC)

68. Will Rehder. (*C .japonica*), SCCS, 1966, *Camellia Nomenclature*, p.136: Rose-pink. Large, peony form. Medium, spreading growth. Early flowering. Originated in USA by N.B. Rehder, Wilmington, North Carolina.

69. Winter Treasure. (*C.japonica*), Fendig, 1953, *American Camellia Catalogue*: Large, white, semi-double, 12-12.5 cm across. There are from 18-25 broad petals, slightly waved and notched at the tip. The stamen cluster is central. Filaments are pale cream, anthers are yellow. Flower buds are long and green, showing a little brown shading. First flowered 1949. Leaves medium green long-elliptic, many over 12.5 cm long. Smooth, drooping and tapered at both ends. Plant habit slightly pendulous, rapid, hardy grower. Originated by Miss Ruth Loman, Wilmington, North Carolina, USA from seed of unknown parents. Reg. No. 129, *American Camellia Yearbook*, 1954, p.337.